

Burmester

150 Network Player



The 150 Network Player convinces by its outstanding sound qualities and the exceptional processing speed even of large data volumes. It can be operated with a fixed output level in existing systems on a preamp or with a variable output level directly connected to a power amp or active loudspeakers.

In addition to playing music from a UPnP server the 150 Network Player can also:

- play back music from USB sticks
- Internetradio

- play back all common audio formats up to 192 kHz / 24 bit

Apart from the lessons we have learned from the development of the previous Burmester network products and the experience gathered since

the market maturity of these products, we have especially taken into consideration the ideas, wishes and suggestions of our customers to develop a device which ensures the greatest acceptance and customer satisfaction.

ANALOGUE VOLUME CONTROL

One of the core elements of the 150 Network Player is its analogue volume control. As opposed to the widespread digital level control, which is also realised much more easily, this one offers the essential benefit of preserving the full resolution of the music without data reduction even at the lowest volume levels.

Due to the increased output voltage in the variable level mode there is no need for a separate preamp,

because its gain stage has already been integrated into the 150 Network Player. Therefore the 150 Network Player may be connected directly to a power amp or active speakers.

In combination with a Burmester server the analogue volume control enables the 150 Network Player to level volume jumps between the individual tracks of a playlist without modifying their original dynamics. The volume of each single track

is determined during the ripping process according to a listening scheme for medium levels and saved as a correction factor in an internal database on the Burmester Music-center. When a track is played back, its corresponding correction value will be loaded by the 150 Network Player and fed into the analogue volume control.

SOPHISTICATED ANALOGUE CIRCUIT TECHNOLOGY

The 150 Network Player has a fully DC-coupled signal path without capacitors resulting in a precise bass

reproduction due to the nonexistence of phase shift in the audible range.

D/A-CONVERTER

The sophisticated analogue output stages receive their signal from a reference class converter section, ensuring a finely resolved, musical

sound image. Sampling rate for D/A conversion can be selected from either 96 kHz/24 bit or 192 kHz/24 bit. The D/A converter receives the

digital audio data from a sophisticated clock regeneration, which largely eliminates sound degenerating jitter.

SOFTWARE

The entire software for operating the 150 comes from the Burmester R&D department. This is why the whole software consorts perfectly with the

main board of the arithmetical unit which was custom-modified according to Burmester specifications.

OPERATION

The 150 Network Player can be operated in several ways. The essential basic functions may be controlled via the included infrared remote. Thus you may e.g. adjust the volume or halt the playback by a simple

touch of a button without having to call up a menu. Furthermore the 150 Network Player can also be taken from standby to operation mode with the infrared remote control.

The complete operation of all functions is done via the iPad® app or with the web interface. Both applications are also developed in-house entirely.

DESIGN

Owing to the clear lines and the typical chrome front, this product highlights incorporates the timeless design

vocabulary which Burmester devices are known for. Thus the 150 Network Player blends in perfectly with the

range of Burmester components, both visually and soundwise.

NETWORK AND WLAN

The 150 Network Player features an ethernet socket (to connect the 150 to an existing non-wireless network) and an integrated WLAN card which is fitted with two antennas. Both

antennas are permanently run in parallel so that the stronger wireless connection can be used at all times. That way radio cancellations due to multiple reflections are avoided.

With the built-in WLAN card the 150 can serve as access point for wireless devices such as the iPad®.

FUTURE-PROOF THROUGH WEB ACCESS

In addition to the possibility of obtaining future updates via the internet, other web services and content suppliers may also be

included. This option allows to supply the customer with the latest features.

FEATURES

- DLNA/UPnP-player
- SSD drive for system storage
- Burmester reference converter technology with balanced conversion
- Sampling rate for D/A conversion can be selected from either 96 kHz/24 bit or 192 kHz/24 bit
- Play-functions:
Internet services/ - radio*
Music-Player
USB-stick
- Audioformats: FLAC/wav/mp3/AIFF/OGG/AAC/ALAC (m4a); Stereo 16 and 24 Bit, up to 192 KHz
- Analogue compensation of level jumps between individual tracks (in combination with a Burmester server)
- Gapless-Play
- Web-BrowserInterface on HTML5
- Integration of a Tidal® account*
- **Integration of a Qobuz® account***
- Can be integrated in a network via LAN or WLAN
- **Support for continuously maintained list of internet radio stations***
- **Full featured control app for the iPad® (iPad® not included in delivery)**
- Secure and easy update of system software
- Excellent network performance
- Apple AirPlay* - hardware-option, upgradable by Burmester (appr. from 08/2015)

CONNECTIONS

- ANALOG-outputs:
1 x XLR Stereo, 1 x RCA Stereo
- DIGITAL-outputs:
1 x coaxial (RCA), 1 x TOSLINK

TECHNICAL SPECIFICATIONS

Weight	ca. 8,5 kg (18 lbs)
Dimensions (W x H x D)	482 x 95 x 345 mm (19" x 3.75" x 13.5")

* The use of the services of third parties (internet radio, provider for streaming solutions) with the 150 Network Player may be subject to the relevant provisions of that operator, including technical requirements (internet connection, availability of service), which are beyond the control of Burmester Audiosysteme GmbH.