



SYNTHESIS[®]

ART IN MUSIC

Catalog 2014-2015

2014 SERIES

SYNTHESIS

IL RITMO DEL PROGRESSO

La serie ROMA presenta NUOVI prodotti con contenuti tecnologici ancora più avanzati, accompagnati da un design più accattivante il tutto coronato da da soluzioni ancor più intelligenti.

Le molteplici possibilità di finiture vi consentono di trasformare il vostro prodotto mantenendo però la sua unicità.

THE PACE OF PROGRESS

The ROMA series presents NEW products with more advanced technological features, together with a more attractive design from all crowned with even more intelligent solutions.

The many possibilities of finishes allow you to transform your product while maintaining its uniqueness.

INDEX

ROMA
ACTION
METROPOLIS

ESPLORAZIONI CROMATICHE TRA BLUE E LEGNI NATURALI CHE SI MESCOLANO AL SEMPRE PRESENTE BIANCO E NERO.

ESPLORING COLOR VARIATIONS RANGING FROM BLUE TO NATURAL WOOD, THEY MIX WITH ALL PRESENT BLACK AND WHITE.





THE ART BOOK

FOCAL

FMMA

A black tube headphone amplifier and a pair of headphones are placed on a white surface. The amplifier has a prominent silver knob and a power button. The headphones are silver and black. The background is a warm, yellowish light. The text is overlaid on the lower left of the image.

LA SEMPLIFICAZIONE DEL NERO.
L'ELEGANZA VERA NON HA BISOGNO
DI ALTRO.

*THE SIMPLIFICATION OF BLACK.
TRUE ELEGANCE DOESN'T NEED
ANYTHING ELSE.*

Su misura: L'arte di un' Eleganza personale.

La nostra promessa è realizzare un perfetto oggetto artigianale, che rispecchi il vostro stile, scegliendo all'interno di una straordinaria collezione di colori e legni. Dal singolo prodotto all'intero sistema.

Customized: The art of an Elegance staff.

Our promise is to create a perfect handmade object that reflects your style, choosing from a unique collection of colors and woods. From individual products to the entire system.



ROMA 54DC
Integrated Amplifier



IL COLORE E' LUMINOSO E COMPATTO
LO STILE MINIMAL-PURE
NELLE FORME ESSENZIALI.

*THE COLOR IS BRIGHT AND MASSIVE
MINIMAL-PURE STYLE ON ITS ESSENTIAL
APPEARANCE.*



ROMA 79DC
MC-MM Tube Phone Amplifier

ROMA14DC

Tube Compact Disc Player



SOPRATTUTTO VECCHIO SOUL E MOLTO FUNK
POI MUSICA FRANCESE DEGLI ANNI SESSANTA,
WORLD MUSIC BRASILIANA E AFRICANA
MOLTA PSICALDELIA TURCA.



ROMA 37DC

Hybrid Integrated Amplifier

2x250W/8 ohm

2x450W/4 ohm



*ABOVE OLD SOUL AND A LOT OF FUNK
THEN SIXTIES FRENCH MUSIC,
BRAZILIAN AND AFRICAN WORLD MUSIC
LOT OF TURKISH PSYCHEDELIA.*

NATURAL WOODS

Il gusto inconfondibile dello stile italiano in ogni dettaglio. Infrangere le regole dei materiali per goderne sette giorni su sette, vivere il presente con la musica.

I codici di un classico vengono riscritti per portarlo sul palcoscenico della contemporaneità, i legni naturali rappresentano l'equilibrio perfetto, crudi, semplici, essenziali.



The unique taste of Italian style in every detail.

Breaking the rules of the materials to enjoy it seven days a week and live in the present with the music.

The codes of a classic are revamped to be on the stage of the contemporary, the natural woods represent the perfect balance, raw simple, essential.

WHITE
BLUE
BLACK
GOLD
MAHOGANY
RED WOOD
WENGE
WALNUT

A stack of seven rectangular samples, each showing a different finish. From top to bottom, the finishes are: white, blue, black, gold, mahogany, red wood, and walnut. The samples are stacked in a slightly offset manner, creating a sense of depth and layering.

FINITURE DI SERIE: NERO, MOGANO, LEGNO
ROSSO.
ALTRE FINITURE SU RICHIESTA.

STANDARD FINISH: BLACK, MAHOGANY, RED
WOOD.
OTHER FINISH ON REQUEST



ROMA 41DC
Tube Headphone Amplifier



FATTO SU MISURA



NIENTE E' PIU' PREZIOSO DI UN ACCESSORIO
REALIZZATO A MANO E PERSONALIZZATO
SULLE PROPRIE ESIGENZE. PERCHE' SARA
UNICO COME LA VOSTRA PERSONALITA'.

MADE TO MEASURE

*THERE'S NOTHING MORE VALUABLE THAN A
HAND-MADE CUSTOMISED ACCESSORY.
BECAUSE, LIKE YOUR PERSONALITY IT WILL
BE ONE OF A KIND.*




ROMA 69DC
Hi Resolution Tube DAC



TECHNICAL SPECIFICATIONS

Roma 41DC/41DC+

All tube A class Headphone Amp




Tube (each ch): 1 X ECL82
 Frequency response: 20Hz to 30KHz - 1dB
 Power output: 2W RMS pure A Class
 Power stage config.: Single Ended
 Input impedance: 100Kohm
 Input sensitivity: 300mV / 2W
 Speaker impedance: 6 ohm
 Headphone imp.: 16-40 ohm / 40-150 ohm / 150-600ohm
 Impedance selection: patented BLS®, automatic selection
 Signal/Noise ratio: > 85dB
 Inputs: 2 Line

Inputs (Roma 41DC+): 1 Line, 1 Optical,
 1 USB "B" type Windows / Mac / iOS /
 Android compatible
 Max Resolution: 24Bit 192KHz (Optical)
 32Bit 384KHz (USB)
 DSD up to 5,6 Mhz (USB)

Power consumption: 60W
 Dimensions: (w,d,h) 260x380x95mm
 Weight: 6 Kg

Roma 69DC

High Resolution Tube DAC




Output stage (each ch): 1 X ECC88
 Frequency response: 20Hz to 20KHz - 1dB
 D/A converter: 32bit 768KHz
 Inputs: 2 Optical Toslink,
 2 S/PDIF coaxial
 1 USB "B" type Windows / Mac / iOS /
 Android compatible

Max Resolution: 24Bit 192KHz (Optical and Coax)
 32Bit 384KHz (USB)
 DSD up to 5,6 Mhz (USB)

Headphone out: > 16ohm, high fidelity driver
 Signal/Noise ratio: > 90dB (A-weight)
 Distorsion: < 0,3%
 Output level: 900mV RMS @ 0 dBFS (variable)
 Power consumption: 40W
 Dimensions: (w,d,h) 260x380x95mm
 Weight: 5 Kg

Roma 79DC

Tube phono Preamp



Gain stage (each ch): 1 X ECC83 (MM) + ultralow noise JFET (MC)
 Out stage (each ch): 1/2 X ECC82
 Frequency response: RIAA curve
 Gain (MM): 40dB
 Gain (MC): 60dB
 Cartridge load: Selectable by front knob
 MM: 47Kohm 47/100/150/200/270/370pF
 MC: 22/47/100/150/330/1000ohm 100pF


Signal/Noise ratio: > 80dB (MM), > 60dB (MC)

Power consumption: 30W
 Dimensions: (w,d,h) 260x380x95mm
 Weight: 5 Kg

TECHNICAL SPECIFICATIONS

Roma 14DC/14DC+


Tube CD-Player



Output tube (each ch): 1 X ECC88
 Frequency response: 20Hz to 20KHz - 1dB
 D/A converter: 32bit 192KHz with upsampling (14DC)
 32bit 768KHz (14DC+)
 Signal/Noise ratio: > 90dB (A-weight)
 Distorsion: < 0,3%
 Output level: 900mV RMS @ 0 dBFS
 Output type: Fixed (14DC), Adjustable (14DC+)
 Output impedance: < 200 ohm
 Digital output: Optical Toslink
 Dig. Inputs (14DC+): 1 Optical, 1 Coaxial (S/PDIF)
 1 USB "B" type Windows / Mac / iOS / Android compatible
 Max Resolution: 24Bit 192KHz (Optical, Coaxial)
 32Bit 384KHz (USB)
 DSD up to 5,6 Mhz (USB)
 Remote control: included
 Power consumption: 60W
 Dimensions: (w,d,h) 410x390x95mm
 Weight: 8 Kg

Roma 54DC/54DC+


Integrated amplifier



Inputs (54DC): 2 Line
 1 Phono
 Dig. inputs (54DC+): 1 Optical Toslink,
 1 USB "B" type Windows / Mac / iOS / Android compatible
 Max Resol. (54DC+): 24Bit 192KHz (Optical)
 32Bit 384KHz (USB)
 DSD up to 5,6 Mhz (USB)
 Output pow (each ch): 100W (8ohm) - 170W (4ohm)
 Preout: Volume controlled
 Headphone out: > 32ohm
 Sensivity: 200mV
 Signal/Noise ratio: >90dB (A-weight)
 Remote controller: included
 Power consumption: 400W max
 Dimensions: (w,d,h) 260x380x95mm
 Weight: 6 Kg

Roma 37DC/37DC+

High power hybrid integrated amplifier



Inputs (37DC): 2 Line
 1 Phono
 Dig. inputs (37DC+): 1 Optical Toslink,
 1 USB "B" type Windows / Mac / iOS / Android compatible
 Max Resol. (37DC+): 24Bit 192KHz (Optical)
 32Bit 384KHz (USB)
 DSD up to 5,6 Mhz (USB)
 Gain stage (each ch): 1X ECC88
 Output pow (each ch): 250W (8ohm) - 450W (4ohm)
 Preout: Volume controlled
 Sensivity: 200mV
 Signal/Noise ratio: >90dB (A-weight)
 Remote controller: included
 Power consumption: 1000W max
 Dimensions: (w,d,h) 410x390x95mm
 Weight: 8 Kg

ROMA



“ART IS A PASSION”

Oscar Wilde

A REGOLA D'ARTE

Conoscenza e sensibilità, tradizione e tecnologia.

Da un'orchestra di artigiani, in un mix di toni bassi e acuti, nascono i nuovi prodotti, unici...
come sempre

A RULE OF ART

Knowledge and sensitivity, tradition and technology.

By an orchestra of artisans, in a mix of bass and treble, come the new products, unique ...
as always.



POWER

ROMA 510AC
80W Integrated Stereo Amplifier



1

2

3

4

5

IR RECEIVER




IN MEDIUM
STAT VIRTUS



ROMA 27AC
Integrated amplifier

Roma, la Città Eterna.

Durante i suoi tremila anni di storia, è stata la prima grande metropoli dell'umanità, cuore di una delle più importanti civiltà antiche, che influenzò nei secoli la società, la cultura, la lingua, la letteratura, l'arte, l'architettura, la filosofia, la religione, il diritto.



Rome the Eternal City



During his three thousand years of history, was the first great metropolis of humanity, the heart of one of the most important ancient civilizations, which influenced the society, culture, language, literature, art, architecture, philosophy, religion, law and customs of centuries.





ROMA

Integrated Stereo Tube Amplifier

ROMA 27AC

25W Integrated Stereo Tube Amplifier

Technical specifications:

Power stage (1 ch.): 2 X 6L6
 Input stage/Driver (1 ch.): ECC83/12AX7
 Frequency response: 20Hz to 20KHz +/- 0.5dB
 Input impedance: 50Kohm
 Input sensitivity: 300mV / 25W
 Output impedance: 6 ohm
 Power stage config.: Pentode
 Power output: 25W RMS AB Class
 Signal/Noise ratio: >90dB, A weighted
 Inputs: 5 Line
 Outputs: Pre Output (Volume cont.)

Power consumption: 200W
 Dimensions: (w,d,h) 410x390x210mm
 Weight: 20.0 Kg

ROMA 753AC

50W Integrated Stereo Tube Amplifier

Technical specifications:

Power stage (1 ch.): 2 X 6CA7/EL34
 Driver (1 ch.): ECC82/12AU7
 Input stage (1 ch.): ECC82/12AU7
 Frequency response: 20Hz to 20KHz +/- 0.5dB
 Input impedance: 50Kohm
 Input sensitivity: 300mV / 50W
 Output impedance: 6 ohm
 Power stage config.: Pentode
 Power output: 50W RMS AB Class
 Signal/Noise ratio: >90dB, A weighted
 Inputs: 5 Line
 Outputs: Pre Output (Volume cont.)

Power consumption: 250W
 Dimensions: (w,d,h) 410x390x210mm
 Weight: 20.0 Kg

ROMA 510AC

80W Integrated Stereo Tube Amplifier

Technical specifications:

Power stage (1 ch.): 2 X KT88
 Driver (1 ch.): ECC99/12BH7
 Input stage (1 ch.): ECC83/12AX7
 Frequency response: 20Hz to 20KHz +/- 0.5dB
 Input impedance: 50Kohm
 Input sensitivity: 300mV / 80W
 Output impedance: 6 ohm
 Power stage config.: Pentode
 Power output: 80W RMS AB Class
 Signal/Noise ratio: >90dB, A weighted
 Inputs: 5 Line
 Outputs: Pre Output (Volume cont.)

Power consumption: 280W
 Dimensions: (w,d,h) 410x390x210mm
 Weight: 20.0 Kg



ACTION

DOING
SOMETHING
GREAT IS
EVERYONE'S
AMBITION.





A40 Virtus

40W INTEGRATED STEREO TUBE AMPLIFIER

ENERGY CRISIS

A100TITAN

A100T
Integrated Tube Amplifier



A100T
Integrated Tube Amplifier



SYNTHESIS
ART IN MUSIC

ACTION

Integrated Stereo Tube Amplifier

Tre modelli di amplificatori con DAC integrato garantiscono una eccezionale performance sonora da ogni sorgente digitale.

Costruito con materiali ricercati e tecnologie avanzate questa linea è il risultato di ricerca ed esperienza. Progettato senza compromessi per una ricca e fedele riproduzione musicale.

Three models of stereo tube amplifiers with DAC's on board, guaranteeing exceptional sonic performance from any digital source.

Made with the finest materials & advanced technology, this series is a sophisticated blend of research & experience. Designed without compromise for a rich sound & faithful music reproduction.



ACTION

Integrated Stereo Tube Amplifier

A40Virtus

40W Integrated Stereo Tube Amplifier

TECHNICAL SPECIFICATIONS

Compatible format: PCM Stereo 32-192KHz
 Input: USB 1.1 (PC-MAC), S/PDIF
 Upsampling: 192KHz / 24Bit
 D/A converter: Dual Mono WM8740
 Output stage: NJM2114L Op-Amp
 Analogue Output: 1V RMS
 Signal/Noise ratio: >90dB, A weighted

Power stage (1 ch.): 2 X KT66
 Driver (1 ch.): 12BH7
 Input stage (1 ch.): ECC83/12AX7
 Frequency response: 20Hz to 20KHz - 0.5dB
 Input impedance: 50Kohm
 Input sensitivity: 300mV / 40W
 Output impedance: 6 ohm
 Power stage config.: Ultralinear 43% tap
 Power output: 40W RMS AB1 Class
 Signal/Noise ratio: >90dB, A weighted
 Inputs: 4 Line - 1 USB - 1 DGT
 Outputs: Pre Output (Volume controlled)

Finish: Steel
 Power consumption: 350W
 Dimensions: (w,d,h) 420x450x260mm
 Weight: 35.0 Kg

A50Taurus

50W Integrated Stereo Tube Amplifier

TECHNICAL SPECIFICATIONS

Compatible format: PCM Stereo 32-192KHz
 Input: USB 1.1 (PC-MAC), S/PDIF
 Upsampling: 192KHz / 24Bit
 D/A converter: Dual Mono WM8740
 Output stage: NJM2114L Op-Amp
 Analogue Output: 1V RMS
 Signal/Noise ratio: >90dB, A weighted

Power stage (1 ch.): 2 X KT88
 Driver (1 ch.): 12BH7
 Input stage (1 ch.): ECC83/12AX7
 Frequency response: 20Hz to 20KHz - 0.5dB
 Input impedance: 50Kohm
 Input sensitivity: 200mV / 50W
 Output impedance: 6 ohm
 Power stage config.: Ultralinear 43% tap
 Power output: 50W RMS AB1 Class
 Signal/Noise ratio: >90dB, A weighted
 Inputs: 4 Line - 1 USB - 1 DGT
 Outputs: Pre Output (Volume controlled)

Finish: Steel
 Power consumption: 350W
 Dimensions: (w,d,h) 420x450x260mm
 Weight: 35.0 Kg

A100Titan

100W Integrated Stereo Tube Amplifier

TECHNICAL SPECIFICATIONS

Compatible format: PCM Stereo 32-192KHz
 Input: USB 1.1 (PC-MAC), S/PDIF
 Upsampling: 192KHz / 24Bit
 D/A converter: Dual Mono WM8740
 Output stage: NJM2114L Op-Amp
 Analogue Output: 1V RMS
 Signal/Noise ratio: >90dB, A weighted

Power stage (1 ch.): 4 X KT66
 Driver (1 ch.): 12BH7
 Input stage (1 ch.): ECC83/12AX7
 Frequency response: 20Hz to 20KHz +- 0.5dB
 Input impedance: 50Kohm
 Input sensitivity: 200mV / 100W
 Output impedance: 6 ohm
 Power stage config.: Ultralinear 43% tap
 Power output: 100W RMS AB1 Class
 Signal/Noise ratio: >90dB, A weighted
 Inputs: 4 Line - 1 USB - 1 DGT
 Outputs: Pre Output (Volume controlled)

Finish: Steel
 Power consumption: 450W
 Dimensions: (w,d,h) 420x450x260mm
 Weight: 40.0 Kg



SYNTHESIS

ART IN MUSIC

NYC 200i

Vacuum tube integrated amplifier

VOLUME

INPUT



MIN

MAX

METROPOLIS

INTEGRATED POWER AMPLIFIERS SERIES

E' INDUBBIAMENTE UNICO E
INIMITABILE.
IL MITO DI TUTTI QUELLI CHE
AMANO LA MUSICA.

*IS UNDOUBTEDLY A UNIQUE AND
INIMITABLE.
A REAL ICON FOR MUSIC LOVERS.*

METROPOLIS

Molti amanti della musica scelgono l'amplificatore Metropolis come spina dorsale del proprio sistema audio. Il motivo è semplice, questi amplificatori integrati producono un suono incredibilmente naturale da qualsiasi sorgente musicale.

Many music lovers choose Synthesis Metropolis series Integrated Amplifier to be the backbone of their audio system or home stereo. The reason is simple, these Integrated amplifiers produce an incredible natural sound from any music source.

SYNTHESIS
METROPOLIS
INTEGRATED AMPLIFIER

NYC100i NYC175i NYC200i



NYC 100i

Dual Mono Integrated Amplifier

Power stage (1ch): 4 x KT66
Driver (1ch): 12BH7
Input stage (1ch): 12AX7-ECC83
Configuration: Parallel Push-Pull ult.
Power output: 100W RMS into 4/8 ohm
each channel AB1 class

Frequency resp.: 20Hz to 20KHz +0.5dB
Input Impedance: 50Kohm
Input sensitivity: 200mV / 100W
Signal/Noise ratio: >90dB, A weighted
Inputs: 5 Line level inputs;
DAC, Tuner, DVD,
CDP, XLR.

Pre output: Volume controlled

Power cons.: 500W Max
Dim.: (w,d,h) 450x630x260mm
Weight: 50.0 Kg

NYC 175i

Dual Mono Integrated Amplifier

Power stage (1ch): 4 x KT88
Driver (1ch): 12BH7
Input stage (1ch): 12AX7-ECC83
Configuration: Parallel Push-Pull ult
Power output: 180W RMS into 4/8 ohm
each channel AB1 class

Frequency resp.: 20Hz to 20KHz +0.5dB
Input Impedance: 50Kohm
Input sensitivity: 200mV / 180W
Signal/Noise ratio: >90dB, A weighted
Inputs: 5 Line level inputs;
DAC, Tuner, DVD,
CDP, XLR.

Pre output: Volume controlled

Power cons.: 500W Max
Dim.: (w,d,h) 450x630x260mm
Weight: 50.0 Kg

NYC 200i

Dual Mono Integrated Amplifier

Power stage (1ch): 4 x KT120
Driver (1ch): 12BH7
Input stage (1ch): 12AX7-ECC83
Configuration: Parallel Push-Pull ult
Power output: 230W RMS into 4/8 ohm
each channel AB1 class

Frequency resp.: 20Hz to 20KHz +0.5dB
Input Impedance: 50Kohm
Input sensitivity: 200mV / 230W
Signal/Noise ratio: >90dB, A weighted
Inputs: 5 Line level inputs;
DAC, Tuner, DVD,
CDP, XLR.

Pre output: Volume controlled

Power cons.: 500W Max
Dim.: (w,d,h) 450x630x260mm
Weight: 50.0 Kg



FACTORY TOUR

A CREATIVE COMPANY




Potente, evocativa, sorprendente.

Dire stabilimento o fabbrica è un ingiusto sgarbo alla realtà. Anche il termine laboratorio non descrive il senso del luogo. Perché i prodotti nascono in piccole stanze e ampi ambienti che hanno il metodo ed i tempi lenti dell'arte.

Powerful, evocative, surprising.

Saying plant or factory is a unfair snub to reality. The laboratory term does not describe the sense of the place. Because our products are born in small rooms and open spaces that have the method and the slow time of art.



Conoscete il programma sul canale Scienza chiamato "Come è fatto"? Ne sono un po' ossessionato... Penso solo che sia affascinante imparare tante delle cose che diamo per scontato su come vengono effettivamente realizzati i prodotti. Gli amplificatori a valvole ne sono un ottimo esempio.

Nel bel mezzo del paese, a Morrovalle, in Italia, c'è un gruppo di artigiani che stanno ancora facendo gli amplificatori alla vecchia maniera.

Tutto ciò che riguarda i loro amplificatori valvolari, l'artigianato, l'attenzione ai dettagli, e soprattutto l'aspetto e la finitura, sono fantastici, davvero unici sul mercato!

You know that show on the Science Channel called "How It's Made"? I'm kind of obsessed... I just think it's fascinating to learn how so many of the things we take for granted how they are actually made. Tube amplifiers are another one.

Well, smack dab in the middle of the country, in Morrovalle, Italy, there's a group of artisans still making amplifiers the old-fashioned way.

Everything about their tube amplifiers, the craftsmanship, the attention to detail, and especially the look and the finish, are fantastic, really unique on the market!



Synthesis continua nel rafforzamento dei valori sui quali ha costruito la propria reputazione in più di 20 anni di storia: esclusività, qualità, made in Italy, artigianalità italiana e autorità nel campo del design e della riproduzione sonora. Unica nel suo settore, Synthesis è in grado di rivendicare un posizionamento che bilancia perfettamente modernità e tradizione, innovazione ed artigianalità.

Tutti i prodotti Synthesis, sono realizzati a mano nel nostro stabilimento in Italia. Tutte le parti metalliche, le schede, i trasformatori e le parti principali sono fatte in Italia e di provenienza locale.

Siamo molto orgogliosi del nostro lavoro, e così sempre sarà.

Synthesis continues to focus on strengthening the values upon which its enviable reputation has been founded for more than its 20 years history: exclusivity, quality, made in Italy, Italian craftsmanship.

Setting apart from its competitors, Synthesis is able to claim a unique duality in its brand positioning pairing modernity and heritage, innovation and craftsmanship.

All Synthesis products, are made by hand in our factory in Italy. All metalwork, boards, transformers and major parts are Italian-made and sourced locally.

We take a great deal of pride in our workmanship, and so will you.



SYNTHESIS


Via Vanvitelli 14/a
62010 Morrovalle
Macerata - ITALY -

Phone: +39 0733 567474

Fax: + 39 0733 567154

www.synthesis.co.it

info@synthesis.co.it

 [@synthesis.co.it](https://www.facebook.com/synthesis.co.it)



**PRODOTTO FATTO A MANO NELLA REPUBBLICA ITALIANA
MADE IN ITALY**

Al fine di migliorare continuamente la qualità, design e le prestazioni dei nostri prodotti e di utilizzare i migliori materiali disponibili in ogni momento, la ditta Synthesis si riserva il diritto di modificare le specifiche senza preavviso.

© 2014 Synthesis. Tutti i diritti riservati. Per ulteriori dettagli tecnici, immagini, dettagli dei prodotti e la storia dell'azienda sono disponibili sul sito web www.synthesis.co.it

In order to continually improve the design, quality and performance of our products and to make use of the best available materials at all time,

SYNTHESIS reserves the right to change specifications without notice.

© 2014 Synthesis. All right reserved. Further technical details, images, products review and company history are available from SYNTHESIS web site www.synthesis.co.it